



PRODUCT BOOK

Smart Home Lighting
智能家居照明

DESIGN BY XICO



Design Your Light, Define Your Life
设计光影，定义生活



Full Spectrum

Human vision evolved under sunlight and fire, whose light spectra set the standard for describing natural light. Bring the sun indoors—full-spectrum lighting that lets you enjoy natural sunlight anytime, day or night.

人类的视觉是在阳光和火光的环境中进化而来的，其光谱特征为描述自然光设定了标准。将阳光带入室内——全光谱照明让您随时随地享受自然阳光，无论白天还是黑夜。





Design Philosophy

Using extremely simple outlines to embody a sense of premium quality.

用极为简洁的轮廓来体现出高端的质感。



Culture Of Light

We are fascinated of allowing people to shape the lightscape of their personal space, using light to enhance their quality of life.

我们致力于让人们能够塑造自己个人空间的光影环境，通过光线提升他们的生活质量。





MODO 魔豆

Magnetic Lighting System



DIY YOUR LIGHTS.



MODO 魔豆
Table System

T0500SWC

Electrical Parameters

Operating Voltage:DC 24V, Max. 2.3A
Wireless Charging Base (Up To 15W),
Supports Charging Of Smartphones,
Wireless Earphones, And Smartwatches.
Charging Protocol Compatibility: Wpc Qi 2.0,
Supports Apple 5w & 7.5w,
Samsung 10w &15w Wireless Charging

Material

Aluminium/Glass/Silicone

Protection Class

IP20

Isolation Class



CLASS II

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Table System

T0500SNA

Electrical Parameters
DC 24V, Max. 2.3A

Material
Aluminium/Glass/Silicone



Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Table System

T0500RNA

Electrical Parameters
DC 24V, Max. 2.3A

Material
Aluminium/Glass/Silicone


Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Floor System

F1000SNA

Electrical Parameters
DC 24V, Max. 4.2A

Material
Aluminium/Glass/Silicone



Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Floor System

F1000RNA

Electrical Parameters
DC 24V, Max. 4.2A

Material
Aluminium/Glass/Silicone


Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Floor System

F1400SNA

Electrical Parameters
DC 24V, Max. 4.2A

Material
Aluminium/Glass/Silicone


Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Floor System

F1400RNA

Electrical Parameters
DC 24V, Max. 4.2A

Material
Aluminium/Glass/Silicone


Protection Class
IP20

Isolation Class
CLASS II

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Luminaire Module

L0052RCL

Lighting Parameters

3W LED - COB - DC24V - 3000K
CRI: > 95 - Lumen 150lm - 36°

Material

Aluminium/ABS+PC

Control

Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class


CLASS III

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆

Luminaire Module

L0062RCL

Lighting Parameters

5W LED - COB - DC24V - 3000K

CRI: > 95 - Lumen 280lm - 36°

Material

Aluminium/ABS+PC

Control

Button Dimming

Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class

CLASS III


Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue

典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆

Luminaire Module

L0120RDF

Lighting Parameters

10W LED - SMD - DC24V - 4000K

CRI: > 95 - Lumen 710lm - 95°

Material

Aluminium/ABS+PC

Control

Button Dimming

Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class

CLASS III


Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue

典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆

Luminaire Module

L0150RDF

Lighting Parameters

15W LED - SMD - DC24V - 4000K

CRI: > 95 - Lumen 1050lm - 95°

Material

Aluminium/ABS+PC

Control

Button Dimming

Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class

CLASS III


Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue

典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆

Luminaire Module

L0100SDF

Lighting Parameters

3W LED - SMD - DC24V
2700K-5000K Tuning - Full Spectrum
CRI: > 95 - Lumen 120lm - 250°

Material

Aluminium/Glass/ABS+PC

Control

Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class


CLASS III

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Luminaire Module

L0120SDF

Lighting Parameters

5W LED - SMD - DC24V
2700K-5000K Tuning - Full Spectrum
CRI: > 95 - Lumen 240lm - 250°

Material

Aluminium/Glass/ABS+PC

Control

Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class


CLASS III

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆

Luminaire Module

L0150SDF

Lighting Parameters

5W LED - SMD - DC24V
2700K-5000K Tuning - Full Spectrum
CRI: > 95 - Lumen 240lm - 250°

Material

Aluminium/Glass/ABS+PC

Control

Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class

IP20

Isolation Class



CLASS III

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Luminaire Module

L0374LDF

Lighting Parameters
4W LED - SMD - DC24V - RGB Tuning - 95°



Material
Aluminium/Glass/Silicone

Control
Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class
IP20

Isolation Class
CLASS III

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝





MODO 魔豆
Luminaire Module

L0760LDF

Lighting Parameters
8W LED - SMD - DC24V - RGB Tuning


Material
Aluminium/PC

Control
Button Dimming
Knob Dimming (Bluetooth Control)

Protection Class
IP20

Isolation Class
CLASS III

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝





MODO 魔豆
Charger Module

C0073LCD

Electrical Parameters

Power Max 45W - DC24V - USB Type-C
QC4/QC4+; compatible with QC2.0/QC3.0;
supports FCP fast charging protocol;
supports SCP fast charging protocol;
supports AFC fast charging protocol;
compatible with BC1.2,
Apple,Samsung phone fast charging;
supports PD2.0/PD3.0 protocol (up to 45W)

Material

Aluminium/PC

Protection Class

IP20

Isolation Class


CLASS III

Colors

Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Control Module

C0033RBC

Electrical Parameters
DC24V - Bluetooth Control

Material
Aluminium/Glass/ABS+PC


Protection Class
IP20

Isolation Class
CLASS III

Colors
Matt Black/Matt Grey/Rose Gold/Matt Blue
典雅黑 / 深空灰 / 玫瑰金 / 午夜蓝



Drawing





MODO 魔豆
Control Module

C0034RBC

Electrical Parameters
DC24V - Bluetooth Control

Material
Aluminium/Glass/ABS+PC


Protection Class
IP20

Isolation Class
CLASS III

Colors
Chrome
金属铬



Drawing





MODO 魔豆
Drive Module

D1500LDR

Electrical Parameters

Input:100-240V~50/60Hz 2.0A

Output:DC24.0V-2.3A(55.2W)

Suitable For Table System



Material

ABS/PTE+Braided Wire

Protection Class

IP20

Isolation Class

CLASS II


Colors

Black

黑色



Drawing





MODO 魔豆
Drive Module

D2500LDR

Electrical Parameters

Input:100-240V~50/60Hz 3.0A
Output:DC24.0V-4.2A(100.8W)
Suitable For Floor System



Material

ABS/PTE+Braided Wire

Protection Class

IP20

Isolation Class


CLASS II

Colors

Black
黑色



Drawing





A futuristic space scene. In the upper right, a large, white, disc-shaped spacecraft with a glowing orange circular light on its underside is partially visible. In the lower right, an astronaut in a white spacesuit stands on a dark, rocky surface, looking towards the camera. To the left, a large, jagged, snow-covered rock formation rises. The background is a deep black space filled with stars.

ARCTON 星弧



来自“宇宙”深处的护眼光芒

ARCTON 星弧

Ceiling Luminaires

C0450RDF

Lighting Parameters

75W LED - SMD - AC220V~240V - 50/60Hz

Up Light - 20W - 2700K Full Spectrum

Down Light- 50W - 4000K Full Spectrum

Eye Protection Ring - 4W - 1800K

Air Detection Module - 3W

Beam Angle: 95°

Control

RF Control

Wi-Fi Control

Bluetooth Control

Material

Aluminium/ABS/PC

Protection Class

IP20

Isolation Class

CLASS I


Colors

Ceramic White

陶瓷白



Drawing





益视力·保健康·智慧控



专为保护儿童健康而生

母婴级护眼空气检测吸顶灯

护眼金黄光 | 甲醛检测 | PM2.5 检测



AERIS 凌风





AERIS comes with a built-in fan featuring three adjustable speed levels. With its integrated smart sensor, you can switch fan speeds effortlessly with a simple hand gesture.

凌风带有风扇功能，具有三档风速调节功能，内置智能感应模块，只需要一个简单的手势就可以实现风速大小的切换。



AERIS features adjustable color temperature with a built-in smart sensor, allowing you to set the color temperature with a simple gesture—from a warm 3000K to a cool 5000K.

凌风具有色温调节功能，内置智能传感器，只需一个简单的手势即可设置色温，从 3000 K 的暖色调到 5000K 的冷色调。

AERIS 凌风

Pendant Luminaires

P1140LCL

Lighting Parameters

50W LED - SMD - AC220V~240V - 50/60Hz

Fan Motor Power - 20W

Lighting Power - 30W

3000K-5000K Tuning - Full Spectrum

Beam Angle: 90°

Control

Gesture Control Dimming

Material

Aluminium

Protection Class

IP20

Isolation Class

CLASS I



Colors

Matte Chrome Grey

哑铬灰



Drawing





AERIS 凌风

Pendant Luminaires

P1140LDF

Lighting Parameters

50W LED - SMD - AC220V~240V - 50/60Hz

Fan Motor Power - 20W

Lighting Power - 30W

3000K-5000K Tuning - Full Spectrum

Beam Angle: 120°

Control

Gesture Control Dimming

Material

Aluminium

Protection Class

IP20

Isolation Class

CLASS I



Colors

Matte Chrome Grey

哑铬灰



Drawing





深 圳 市 西 口 照 明 有 限 公 司

Shen Zhen Xico Lighting Co.,Ltd



No. 589, Konong Road, Tangjia Community,
Guangming District Shenzhen China



+86-755-3318 2289




E-mail:Sales@xicolight.com



www.xicolight.com

XICO believes that all information in this publication is correct at the time of printing, but is not responsible for accuracy of information published. All information is subject to change without notice.

西口相信本出版物中所包含的所有信息在印刷时均为准确，但不对所发布信息的准确性承担责任。所有信息均可能在未经通知的情况下进行更改。



CULTURE OF LIGHT

We are fascinated of allowing people to shape the lightscape of their personal space, using light to enhance their quality of life.

我们致力于让人们能够塑造自己个人空间的光影环境，通过光线提升他们的生活质量。